L Number	Hits	Search Text	DB	Time stamp
63	253	hysteresis with (timer or timeout)	USPAT; US-PGPUB;	2004/03/27 13:38
64	13	(hysteresis with (timer or timeout)) and 370.clas.	EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/03/27 13:38
65	21	(US-6519236-\$ or US-5465398-\$ or US-5574979-\$ or US-5701294-\$ or US-6611515-\$ or US-6567375-\$ or US-6215827-\$ or US-6539205-\$ or US-6163577-\$ or US-5828677-\$ or US-6262994-\$ or US-6252861-\$ or US-5757787-\$ or US-5920597-\$).did. or (US-20030139136-\$ or US-20030185181-\$ or US-20020036992-\$ or US-20030022629-\$ or US-20020041570-\$ or US-20010040880-\$ or	IBM_TDB USPAT; US-PGPUB	2004/03/27 14:29
68	12	US-20020027890-\$).did.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/03/27 15:03
69	6	US-20020027890-\$).did.) and (rssi or "signal strength") ((US-6519236-\$ or US-5465398-\$ or US-5574979-\$ or US-5701294-\$ or US-6611515-\$ or US-6567375-\$ or US-6215827-\$ or US-6539205-\$ or US-6163577-\$ or US-5828677-\$ or US-6262994-\$ or US-6252861-\$ or US-5757787-\$ or US-5920597-\$).did. or (US-20030139136-\$ or US-20030185181-\$ or US-20020036992-\$ or US-20030022629-\$ or US-20020041570-\$ or US-20010040880-\$ or	USPAT; US-PGPUB; EPO; IBM_TDB	2004/03/27 15:12
70	12	ÙS-5701294-\$ or US-6611515-\$ or US-6567375-\$ or US-6215827-\$ or US-6539205-\$ or US-6163577-\$ or US-5828677-\$ or US-6262994-\$ or US-6252861-\$ or US-5757787-\$ or US-5920597-\$).did. or (US-20030139136-\$ or US-20030185181-\$ or US-20020036992-\$ or US-20030022629-\$ or US-20020041570-\$ or US-20010040880-\$ or	USPAT; US-PGPUB; EPO; IBM_TDB	2004/03/27 16:58
73	12	US-20020027890-\$).did.) and (quality with error) persson-joakim.in.	USPAT; US-PGPUB; EPO;	2004/03/27 16:58
74	15	wilhelmsson-leif.in.	IBM_TDB USPAT; US-PGPUB; EPO;	2004/03/27 16:59
75	37	haartsen-jacobus.in.	IBM_TDB USPAT; US-PGPUB; EPO;	2004/03/27 17:00
76	58	persson-joakim.in. wilhelmsson-leif.in. haartsen-jacobus.in.	IBM_TDB USPAT; US-PGPUB; EPO;	2004/03/27 17:00
-	7810	bluetooth or blue?tooth	IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB	2004/03/25 06:46

			I	
-	0	ad?hoc with network?5	USPAT;	2004/03/24 09:20
			US-PGPUB;	
			EPO;	
			IBM_TDB	
-	760	ad?hoc with network\$5	USPAT;	2004/03/24 09:20
		·	US-PGPUB;	
			EPO;	
			IBM_TDB	
_	8343	(bluetooth or blue?tooth) or (ad?hoc with network\$5)	USPAT;	2004/03/24 15:10
	03.5	(Statesbar of State Cooks) of (da.fibe married total)	US-PGPUB;	2001/05/21 15:10
			EPO;	
			IBM_TDB	
	10723	rssi or (channel\$4 near5 quality\$3)	USPAT;	2004/03/25 06:47
-	10/23	1331 Of (Charmers Tiears quality \$5)	US-PGPUB;	2007/03/23 00.7/
			EPO;	
1	262	//bb-b-b-bb	IBM_TDB	2004/02/24 44 40
-	362	((bluetooth or blue?tooth) or (ad?hoc with network\$5)) and (rssi	USPAT;	2004/03/24 14:48
		or (channel\$4 near5 quality\$3))	US-PGPUB;	
			EPO;	
			IBM_TDB	
-	5413	frequency adj hop\$5	USPAT;	2004/03/24 09:38
			US-PGPUB;	
			EPO;	
			IBM_TDB	
-	1326	(frequency adj hop\$5) and cdma	USPAT;	2004/03/24 09:39
Ì			US-PGPUB;	
			EPO;	
			IBM_TDB	
-	1	6519236.pn.	USPAT;	2004/03/24 13:17
			US-PGPUB;	
			EPO;	
ļ]		IBM_TDB	
-	2	6519236.URPN.	USPAT	2004/03/24 11:27
-	1	5465398.pn.	USPAT;	2004/03/24 12:56
		 	US-PGPUB;	200 1, 00, 2 1 22,00
			EPO;	
			IBM_TDB	
_	1 1	5574979.pn.	USPAT;	2004/03/24 13:04
	_		US-PGPUB;	2001,03/2113.01
			EPO;	
			IBM_TDB	
-	1	5579373.pn.	USPAT;	2004/03/24 13:07
	*	- 507 507 51 1 111	US-PGPUB;	2007/03/27 13.0/
			EPO;	
			IBM_TDB	
_	1	5701294.pn.		2004/02/24 12:00
	*	3/0123π.μπ.	USPAT;	2004/03/24 13:08
			US-PGPUB;	
			EPO;	
_	.	F040420 pp	IBM_TDB	2004/02/24 12 22
1-	1	5940439.pn.	USPAT;	2004/03/24 13:20
	ļ		US-PGPUB;	
]		EPO;	
			IBM_TDB	
-	39	ejzak\$.in.	USPAT;	2004/03/24 13:21
			US-PGPUB;	
			EPO;	į
			IBM_TDB	
-	15	ejzak\$.in. and @ad<19970923	USPAT;	2004/03/24 13:23
]			US-PGPUB;	
			EPO;	
			IBM_TDB	

			· · · · · · · · · · · · · · · · · · ·	
-	24	ejzak\$.in. not (ejzak\$.in. and @ad<19970923)	USPAT;	2004/03/24 13:38
			US-PGPUB;	
			EPO;	
			IBM_TDB	
-	28	modiano\$.in.	USPAT;	2004/03/24 13:41
			US-PGPUB;	
]		EPO;	
	1	11 10 1 4 .	IBM_TDB	2004/02/24 42 42
-	16	eckhardt-da\$.in.	USPAT;	2004/03/24 13:43
			US-PGPUB;	
			EPO;	
	'	standinta at in	IBM_TDB USPAT;	2004/02/24 12:42
-	0	steenkiste-p\$.in.	US-PGPUB;	2004/03/24 13:43
]		EPO;	
	}		IBM_TDB	
	2131	DM1 or DH1	USPAT;	2004/03/24 14:46
] -	2131		US-PGPUB;	2007/03/27 17.70
			EPO;	
			IBM_TDB	
	3	(rssi or (channel\$4 near5 quality\$3)) same (DM1 or DH1)	USPAT;	2004/03/24 15:17
I		(135) or (charmely) hears quality \$5)) same (Drit or Drit)	US-PGPUB;	200 11 03/27 13.17
			EPO;	
			IBM_TDB	
-	362	((bluetooth or blue?tooth) or (ad?hoc with network\$5)) and (rssi	USPAT;	2004/03/24 14:50
	302	or (channel\$4 near5 quality\$3))	US-PGPUB;	
		or (charmely means quality quy)	EPO;	
			IBM_TDB	
-	2	((bluetooth or blue?tooth) or (ad?hoc with network\$5)) and ((rssi	USPAT;	2004/03/24 14:53
		or (channel\$4 near5 quality\$3)) same (select\$4 with ((packet\$3 or	US-PGPUB;	,,
		frame\$3) near3 (size or type or coding))))	EPO;	
		• • • • • • • • • • • • • • • • • • • •	IBM_TDB	
-	26	(rssi or (channel\$4 near5 quality\$3)) same (select\$4 with	USPAT;	2004/03/24 15:11
		((packet\$3 or frame\$3) near3 (size or type or coding)))	US-PGPUB;	
ĺ			EPO;	
	i		IBM_TDB	
-	14082	(rssi or ((link\$2 or channel\$4) near5 quality\$3))	USPAT;	2004/03/24 15:10
			US-PGPUB;	
			EPO;	
			IBM_TDB	
-	8343	(bluetooth or blue?tooth) or (ad?hoc with network\$5)	USPAT;	2004/03/24 15:11
			US-PGPUB;	
			EPO;	
		//wasi an //linkst2 an abannalst4) mc====================================	IBM_TDB	2004/02/24 45 44
-	502	((rssi or ((link\$2 or channel\$4) near5 quality\$3))) and ((bluetooth	USPAT;	2004/03/24 15:11
		or blue?tooth) or (ad?hoc with network\$5))	US-PGPUB;	
			EPO;	
	72/1	((select\$4 or chang\$3 or modif\$3) with ((packet\$3 or frame\$3)	IBM_TDB	2004/02/24 15:25
	7341	near3 (size or type or coding)))	USPAT; US-PGPUB;	2004/03/24 15:25
		nears (size or type or county)))	EPO;	
			IBM_TDB	
_	31	(((rssi or ((link\$2 or channel\$4) near5 quality\$3))) and ((bluetooth	USPAT;	2004/03/24 15:12
	51	or blue?tooth) or (ad?hoc with network\$5))) and (((select\$4 or	US-PGPUB;	2007/03/27 13.12
		chang\$3 or modif\$3) with ((packet\$3 or frame\$3) near3 (size or	EPO;	
		type or coding))))	IBM_TDB	
-	29	((((rssi or ((link\$2 or channel\$4) near5 quality\$3))) and	USPAT;	2004/03/24 15:12
		((bluetooth or blue?tooth) or (ad?hoc with network\$5))) and	US-PGPUB;	=>+ 1 -+1 = 1 = 1 = 1
		(((select\$4 or chang\$3 or modif\$3) with ((packet\$3 or frame\$3)	EPO;	
		near3 (size or type or coding))))) not (((bluetooth or blue?tooth)	IBM_TDB	
		or (ad?hoc with network\$5)) and ((rssi or (channel\$4 near5	-	
		quality\$3)) same (select\$4 with ((packet\$3 or frame\$3) near3		
		(size or type or coding)))))	. <u></u>	

-	29	((((rssi or ((link\$2 or channel\$4) near5 quality\$3))) and ((bluetooth or blue?tooth) or (ad?hoc with network\$5))) and (((select\$4 or chang\$3 or modif\$3) with ((packet\$3 or frame\$3) near3 (size or type or coding))))) not ((rssi or (channel\$4 near5	USPAT; US-PGPUB; EPO; IBM_TDB	2004/03/24 15:16
		quality\$3)) same (select\$4 with ((packet\$3 or frame\$3) near3 (size or type or coding))))		
-	6864	(370/349,465,252,342,441,442,345,498).ccls.	USPAT; US-PGPUB; EPO;	2004/03/25 07:23
-	173	((370/349,465,252,342,441,442,345,498).ccls.) and ((bluetooth or blue?tooth) or (ad?hoc with network\$5))	IBM_TDB USPAT; US-PGPUB; EPO;	2004/03/24 15:17
-	10723	(rssi or (channel\$4 near5 quality\$3))	IBM_TDB USPAT; US-PGPUB; EPO;	2004/03/24 15:17
-	793	((370/349,465,252,342,441,442,345,498).ccls.) and ((rssi or (channel\$4 near5 quality\$3)))	IBM_TDB USPAT; US-PGPUB; EPO;	2004/03/24 15:17
-	28	or blue?tooth) or (ad?hoc with network\$5))) and (((370/349,465,252,342,441,442,345,498).ccls.) and ((rssi or	IBM_TDB USPAT; US-PGPUB; EPO;	2004/03/24 15:24
-	1509	(channel\$4 near5 quality\$3)))) 370/252.ccls.	IBM_TDB USPAT; US-PGPUB; EPO;	2004/03/24 15:24
-	410	370/252.ccls. and ((packet\$3 or frame\$3) near3 (size or type or coding))	IBM_TDB USPAT; US-PGPUB; EPO;	2004/03/24 15:25
-	53	(370/252.ccls. and ((packet\$3 or frame\$3) near3 (size or type or coding))) and (channel\$4 near5 quality\$3)	IBM_TDB USPAT; US-PGPUB; EPO;	2004/03/24 15:26
-	0	shoemaker-mat\$.in.	IBM_TDB USPAT; US-PGPUB; EPO;	2004/03/24 15:52
-	1154	coded with uncoded	IBM_TDB USPAT; US-PGPUB;	2004/03/25 06:47
-	1486	coded same uncoded	EPO; IBM_TDB USPAT; US-PGPUB;	2004/03/25 06:47
-	10754	rssi or (channel\$4 near5 quality\$3)	EPO; IBM_TDB USPAT; US-PGPUB;	2004/03/25 07:19
-	103	(coded same uncoded) and (rssi or (channel\$4 near5 quality\$3))	EPO; IBM_TDB USPAT; US-PGPUB;	2004/03/25 06:47
-	4	(coded same uncoded) same (rssi or (channel\$4 near5 quality\$3))	EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/03/25 06:53
			IBM_TDB	

-	93	((coded same uncoded) and (rssi or (channel\$4 near5 quality\$3)))	USPAT;	2004/03/25 10:29
		and (@ad<20000620 or @rlad<20000620)	US-PGPUB;	
			EPO;	
			IBM_TDB	
l -	2048	(455/423,452.2,451,450).ccls.	USPAT;	2004/03/25 07:18
		(100) 120) 1001/1001	US-PGPUB;	
			EPO;	
			IBM_TDB	
-	13569	rssi or ((link or channel\$4) near5 quality\$3)	USPAT;	2004/03/25 11:21
			US-PGPUB;	
1			EPO;	
			IBM_TDB	
_	613	((455/423,452.2,451,450).ccls.) and (rssi or ((link or channel\$4)	USPAT;	2004/03/25 07:19
j	013		US-PGPUB;	200 1/05/25 07:15
		near5 quality\$3))		
}			EPO;	
			IBM_TDB	
-	94688	(packet\$2 or frame\$2) near3 (type or length or size)	USPAT;	2004/03/25 07:20
			US-PGPUB;	
			EPO;	
			IBM_TDB	
İ	101	///AFF/433 4F3 3 4F4 4F6)		2004/02/25 07 20
-	101		USPAT;	2004/03/25 07:20
		near5 quality\$3))) and ((packet\$2 or frame\$2) near3 (type or	US-PGPUB;	
		length or size))	EPO;	
			IBM TDB	
_	249	(rssi or ((link or channel\$4) near5 quality\$3)) same ((packet\$2 or	USPAT;	2004/03/25 07:20
	277	frame\$2) near3 (type or length or size))	US-PGPUB;	2004/03/23 07.20
	1	traine\$2) flears (type or length or size))		
			EPO;	1
			IBM_TDB	
-	11	((rssi or ((link or channel\$4) near5 quality\$3)) same ((packet\$2 or	USPAT;	2004/03/25 07:20
		frame\$2) near3 (type or length or size))) and	US-PGPUB;	
		((455/423,452.2,451,450).ccls.)	EPO;	
		((133) 123, 132.2, 131, 130).003.)	IBM_TDB	
ļ	6006	(270/240 465 252 242 441 442 245 400) colo	_	2004/02/25 07:22
-	6886	(370/349,465,252,342,441,442,345,498).ccls.	USPAT;	2004/03/25 07:23
	ļ		US-PGPUB;	
ĺ			EPO;	
			IBM_TDB	
-	56	((rssi or ((link or channel\$4) near5 quality\$3)) same ((packet\$2 or	USPAT;	2004/03/25 07:23
		frame\$2) near3 (type or length or size))) and	US-PGPUB;	,
		((370/349,465,252,342,441,442,345,498).ccls.)	EPO;	
		((370/313/103/232/312/111/112/313/130/.ccis.)		
	.	6262004 UDDN	IBM_TDB	2004/02/25 00 04
-	1 1	6262994.URPN.	USPAT	2004/03/25 08:04
-	4	("5214687" "5450438" "5524122" "5550881").PN.	USPAT	2004/03/25 08:04
-	1	6163577.URPN.	USPAT	2004/03/25 08:05
-	7	("4184049" "5353373" "5416779" "5469527" "5666370"	USPAT	2004/03/25 08:07
		"5701294" "5982766").PN.		. ,
-	632	"interference limited"	USPAT;	2004/03/25 09:41
	552	interroration infined	•	200 1/03/23 03:41
			US-PGPUB;	
			EPO;	
			IBM_TDB	
-	8813	((455/423,452.2,451,450).cds.) or	USPAT;	2004/03/25 09:41
		((370/349,465,252,342,441,442,345,498).ccls.)	US-PGPUB;	
			EPO;	
			IBM_TDB	
_	165	"interference limited" and (((AEE/432 4E3 3 4E1 4E0) cole \ c-	_	2004/02/25 00:44
١	162	"interference limited" and (((455/423,452.2,451,450).ccls.) or	USPAT;	2004/03/25 09:41
		((370/349,465,252,342,441,442,345,498).ccls.))	US-PGPUB;	
			EPO;	
			IBM_TDB	
-	135	("interference limited" and (((455/423,452.2,451,450).ccls.) or	USPAT;	2004/03/25 10:26
		((370/349,465,252,342,441,442,345,498).ccls.))) and	US-PGPUB;	, 30, -0 20,20
		(@ad<20000620 or @rlad<20000620)	EPO;	
		ושמם יבטטטטבט טו שוומם יבטטטטטבט)		
	L		IBM_TDB	

_				
-	64	"interference limited" same coding	USPAT;	2004/03/25 10:26
			US-PGPUB;	
			EPO;	
			IBM_TDB	
-	13	"interference limited" with coding	USPAT;	2004/03/25 10:29
			US-PGPUB;	
			EPO;	
			IBM_TDB	
-	51	("interference limited" same coding) not ("interference limited"	USPAT;	2004/03/25 10:29
		with coding)	US-PGPUB;	
i			EPO;	
			IBM_TDB	
-	39	(("interference limited" same coding) not ("interference limited"	USPAT;	2004/03/25 10:30
		with coding)) and (@ad<20000620 or @rlad<20000620)	US-PGPUB;	
			EPO;	
			IBM_TDB	
-	99	noise?limited	USPAT;	2004/03/25 10:31
			US-PGPUB;	
1			EPO;	
			IBM_TDB	
-	2	noise?limited with coding	USPAT;	2004/03/25 10:31
İ			US-PGPUB;	
			EPO;	
			IBM_TDB	
-	11499	((link or channel\$4) near5 quality\$3)	USPAT;	2004/03/25 11:21
	Ì		US-PGPUB;	
			EPO;	
			IBM_TDB	
-	2	transmitter with receiver with ignore with information	USPAT;	2004/03/25 17:12
			US-PGPUB;	
			EPO;	
			IBM_TDB	
•	21	(US-6519236-\$ or US-5465398-\$ or US-5574979-\$ or	USPAT;	2004/03/25 17:13
		US-5701294-\$ or US-6611515-\$ or US-6215827-\$ or	US-PGPUB	
		US-6539205-\$ or US-6163577-\$ or US-5828677-\$ or		
		US-6567375-\$ or US-6262994-\$ or US-6252861-\$ or		
		US-5757787-\$ or US-5920597-\$).did. or (US-20030139136-\$ or		
		US-20020036992-\$ or US-20030022629-\$ or US-20020041570-\$		
		or US-20010040880-\$ or US-20030185181-\$ or		
		US-20020027890-\$).did.		
-	4	((US-6519236-\$ or US-5465398-\$ or US-5574979-\$ or	USPAT;	2004/03/25 17:13
		US-5701294-\$ or US-6611515-\$ or US-6215827-\$ or	US-PGPUB;	
		US-6539205-\$ or US-6163577-\$ or US-5828677-\$ or	EPO;	
		US-6567375-\$ or US-6262994-\$ or US-6252861-\$ or	IBM_TDB	
		US-5757787-\$ or US-5920597-\$).did. or (US-20030139136-\$ or		
		US-20020036992-\$ or US-20030022629-\$ or US-20020041570-\$		
1		or US-20010040880-\$ or US-20030185181-\$ or		
		US-20020027890-\$).did.) and ignore	<u> </u>	1